1 | FINAL – Emergency framework for rationing of blood for massively bleeding patients during a red phase of a blood shortage

Appendix F

References

- 1. Ali A, Auvinen MK, Rautonen J. The aging population poses a global challenge for blood services. Transfusion. 2010 Mar;50(3):584-8.
- 2. Galloway MJ, Jane G, Sudlow L, Trattles J, Watson J. A tabletop exercise to assess a hospital emergency blood management contingency plan in a simulated acute blood shortage. Transfus Med. 2008 Oct;18(5):302-7.
- 3. Christian MD, Hawryluck L, Wax RS, Cook T, Lazar NM, Herridge MS, et al. Development of a triage protocol for critical care during an influenza pandemic. CMAJ. 2006 Nov 21;175(11):1377-81.
- 4. Vincent JL, Moreno R, Takala J, Willatts S, De Mendonca A, Bruining H, et al. The SOFA (sepsis-related organ failure assessment) score to describe organ dysfunction/failure. on behalf of the working group on sepsis-related problems of the european society of intensive care medicine. Intensive Care Med. 1996 Jul;22(7):707-10.
- 5. Christian MD, Hamielec C, Lazar NM, Wax RS, Griffith L, Herridge MS, et al. A retrospective cohort pilot study to evaluate a triage tool for use in a pandemic. Crit Care. 2009;13(5):R170.
- 6. Devereaux AV, Dichter JR, Christian MD, Dubler NN, Sandrock CE, Hick JL, et al. Definitive care for the critically ill during a disaster: A framework for allocation of scarce resources in mass critical care: From a task force for mass critical care summit meeting, january 26-27, 2007, chicago, IL. Chest. 2008 May;133(5 Suppl):51S-66S.
- 7. Utah pandemic influenza hospital and ICU triage guideline for adults [Internet]. USA: Utah Department of Public Health [updated January 28, 2010. Available from: http://www.utahhospitals.org/education/disaster-preparedness.html.
- 8. Grissom CK, Brown SM, Kuttler KG, Boltax JP, Jones J, Jephson AR, et al. A modified sequential organ failure assessment score for critical care triage. Disaster Med Public Health Prep. 2010 Dec;4(4):277-84.
- 9. Guest T, Tantam G, Donlin N, Tantam K, McMillan H, Tillyard A. An observational cohort study of triage for critical care provision during pandemic influenza: 'clipboard physicians' or 'evidenced based medicine'? Anaesthesia. 2009 Nov;64(11):1199-206.
- 10. Kahn CA, Schultz CH, Miller KT, Anderson CL. Does START triage work? an outcomes assessment after a disaster. Ann Emerg Med. 2009 Sep;54(3):424,30, 430.e1.
- 11. Strech D, Persad G, Marckmann G, Danis M. Are physicians willing to ration health care? conflicting findings in a systematic review of survey research. Health Policy. 2009 May;90(2-3):113-24.
- 12. Daniels N SJ. Setting limits fairly: Can we learn to share medical resources? New York, New York: Oxford University Press, Inc.; 2002.

- **2 | FINAL** Emergency framework for rationing of blood for massively bleeding patients during a red phase of a blood shortage
- 13. Gibson JL, Martin DK, Singer PA. Priority setting in hospitals: Fairness, inclusiveness, and the problem of institutional power differences. Soc Sci Med. 2005 Dec;61(11):2355-62.
- 14. Gibson JL. Ethical decision-making about scarce resource: A guide for managers and directors. Toronto, Ontario: Ethical Decision-Making about University of Toronto Joint Centre for Bioethics; 2008.
- 15. Daniels N. Justice between age groups: Am I my parents' keeper? Milbank Mem Fund Q Health Soc. 1983 Summer;61(3):489-522.
- 16. Callahan D. Terminating treatment: Age as a standard. Hastings Cent Rep. 1987 Oct-Nov;17(5):21-5.
- 17. van Delden JJ, Vrakking AM, van der Heide A, van der Maas PJ. Medical decision making in scarcity situations. J Med Ethics. 2004 Apr;30(2):207-11.
- 18. Brock DW. Justice, health care, and the elderly. Philos Public Aff. 1989 Summer; 18(3):297-312.
- 19. Churchill LR. Private virtues, public detriment: Allocating scarce medical resources to the elderly. Ethics. 1989 Oct;100(1):169-76.
- 20. Palliative care [Internet]. Available from: http://www.who.int/cancer/palliative/en/.
- 21. Stanley AJ, Dalton HR, Blatchford O, et al. Multicentre comparison of the Glasgow Blatchford and Rockall scores in the prediction of clinical end-points after upper gastrointestinal haemorrhage. Ailment Pharmacol Ther 2011; 34: 470-75.
- 22. Harvey MP, Greenfield TP, Sugrue ME, et al. Massive blood transfusion in a tertiary referral hospital. Clinical outcomes and haemostatic complications. Med J Aust 1995: 356-9.
- 23. Sawyer PR, Harrison CR. Massive transfusion in adults. Diagnoses, survival and blood bank support. Vox Sang 1990; 58: 199-203.
- 24. Chojkier M, Laine L, Conn HO, et al. Pedictors of outcome in massive upper gastrointestinal hemorrhage. J Clin Gastroenterol 1986; 8: 16-22.
- 25. Kanter RK, Cooper A. Mass critical care: Pediatric considerations in extending and rationing care in public health emergencies. Disaster Med Public Health Prep. 2009 Dec;3 Suppl 2:S166-71.
- 26. Strech D, Hurst S, Danis M. The role of ethics committees and ethics consultation in allocation decisions: A 4-stage process. Med Care. 2010 Sep;48(9):821-6.
- 27. Harwood RJ. Re: Are you coming to work during pandemic flu? Anaesthesia. 2009 Feb;64(2):217,8; author reply 219.
- 28. Matas AJ. Allocation or rationing--word choice is crucial. Am J Transplant. 2009 Jan;9(1):9-10.
- 29. Strech D, Synofzik M, Marckmann G. How physicians allocate scarce resources at the bedside: A systematic review of qualitative studies. J Med Philos. 2008 Feb;33(1):80-99.

- **3 | FINAL** Emergency framework for rationing of blood for massively bleeding patients during a red phase of a blood shortage
- 30. Institute of Medicine. Guidance for establishing crisis standards of care for use in disaster situations: A letter report. Washington, DC.: National Academies Press; 2009.
- 31. Persad G, Wertheimer A, Emanuel EJ. Principles for allocation of scarce medical interventions. Lancet. 2009 Jan 31;373(9661):423-31.
- 32. Stand on Guard for Thee: Ethical Considerations in preparedness planning for pandemic influenza. November 2005. A Report of the Joint Centre for Bioethics Pandemic Influenza Working Group.
- 33. Regional Liaison Committee Consultation Report. November 2011. Canadian Blood Services.